



Village & PO : Kushmaur, Mau 275103 (UP)

Tel : (0547) 2530080, FAX : (0547) 2530381, E-Mail : nbaimicar@gmail.com, (Web): www.nbaim.org.in

F.N: 19/store/2016-17/equipment

Date: 22.02.2017

Corrigendum

Refer tender ID [2017_DARE_178057_1](#) and tender reference no 19/store/2016-17/equipment technical specification for purchase of instrument table and lab furniture has been revised as under.

(1) Modular lab bench(16 units)

Previous specification	Revised specification
<ul style="list-style-type: none"> • unit size 10’x2.5’; accommodate the instruments / laboratory equipment's. • Provision of electrical outlets at regular intervals of 2 feet. • Keyboard facility and CPU shelf. Made up of high grade mild steel with epoxy powder coating for long-lasting durability with timeless aesthetic appeal. • The cabinets below should have Double-pan sound-deadened door and drawer heads. • The door should be on knuckle stainless steel hinges, Front baked-on epoxy powder-coated finish. • Top should be of Epoxy/ Moulded. • Colour Combination white/off white with blue front panels and dark grey/black top. • Design is indicative. 	<ul style="list-style-type: none"> • unit size 10’x2.5’; accommodate the instruments / laboratory equipment's. • Provision of electrical outlets at regular intervals of 2 feet. • Keyboard facility and CPU shelf. Made up of high grade stainless steel • The cabinets below should have Double-pan sound-deadened door and drawer heads. • The door should be on knuckle stainless steel hinges. • Top should be of Granite. • Design is indicative.

(ii) Modular lab bench(Island Type) 4 units

Previous specification	Revised specification
<ul style="list-style-type: none"> • Island type size 10’x5’; • Accommodate the instruments / laboratory equipment's. • Provision of electrical outlets at regular intervals of 2 feet. Keyboard facility and CPU shelf. • Utilities for water with sink. 	<ul style="list-style-type: none"> • Island type size 10’x5’; • Accommodate the instruments / laboratory equipment's. • Provision of electrical outlets at regular intervals of 2 feet. Keyboard facility and CPU shelf. • Utilities for water with sink.

<ul style="list-style-type: none"> • Made up of high grade mild steel with epoxy powder coating for long-lasting durability with timeless aesthetic appeal. • The cabinets below should have Double-pan sound-deadened door and drawer heads. • The door should be on knuckle stainless steel hinges, Front baked-on epoxy powder-coated finish. • Top should be of Epoxy/ Moulded. • Colour Combination white/off white with blue front panels and dark grey/black top. • Design is indicative 	<ul style="list-style-type: none"> • Made up of high grade stainless steel • The cabinets below should have Double-pan sound-deadened door and drawer heads. • The door should be on knuckle stainless steel hinges. • Top should be of Granite. • Design is indicative
---	--

(iii) Wall cabinets 32 units

Previous specification	Revised specification
<ul style="list-style-type: none"> • size 30"x30"15" with two racks inside • Accommodate laboratory chemicals, plasticwares, glasswares. • Made up of high grade mild steel with epoxy powder coating for long-lasting durability with timeless aesthetic appeal. • The cabinets below should have Double-pan sound-deadened door. • The door should be on knuckle stainless steel hinges, Front baked-on epoxy powder-coated finish. • Colour Combination white/off white with blue front panels and dark grey/black top. • Design is indicative 	<ul style="list-style-type: none"> • size 30"x30"15" with two racks inside • Accommodate laboratory chemicals, plasticwares, glasswares. • Made up of high grade stainless steel. • The cabinets below should have Double-pan sound-deadened door. • The door should be on knuckle stainless steel hinges. • Design is indicative

Rest of the specification and terms and conditions will be same.

Administrative Officer